



Catalog of Fan coil unit

Huge Floor Standing Fan Coil Unit (LZ Series)

Specification:

- Air flow: 3000-5000m³/h
- Cooling capacity: 18000W-30500W
- Heating capacity: 28500W-40500W
- With remote controller



Catalog of Fan coil unit

Many Plugs available:

1



American plug

2



Chinese plug

3




European plug

4



British plug

Water pipes:





1. COOL button. Press this button to enter cool mode.
2. HEAT button. Press this button to enter heat mode.
3. HIGH button. Press this button to enter high fan speed.
4. MID button. Press this button to enter medium fan speed.
5. LOW button. Press this button to enter low fan speed.
6. TEMP up button. Press this button to increase the temperature.
7. TEMP down button. Press this button to decrease the temperature.
8. 11.TIMER up button. Press this button to increase timing.
9. TIMER down button. Press this button to decrease timing.
10. SHIFT button. Press this button to enter different mode.
11. LOCK button. Press this button to lock the remote controller.
12. SWING button. Press this button to get different air flow direction.
13. 12. OFF/ON button. Press this button to turn on/off the device.

Data Table

Performance/model		FP-300LZ	FP-400LZ	FP-500LZ
Air volume(m ³ /h)	H	3000	4000	5000
	M	2400	3200	4000
	L	1800	2100	2800
Cooling capacity(w)	H	18000	21000	30500
	M	15300	18000	24400
	L	13700	14500	17080
Heat capacity(w)	H	28500	31500	40500
	M	24200	27500	32400
	L	20500	22000	22680
Noise db(A)		<70	<85	<95
Electric power (W)		100*2	150*2	370*1
Temperature for cold water		7℃~12℃		
Temperature for hot water		65℃~60℃		
Power(V / HZ)		Single-phase power supply 220v、 50Hz		
Water main		ZG R1"		
Size L×W×H (mm)		1200*410*1850	1200*410*1850	1200*410*1850
Weight of unit(kg)		95	110	125