



Catalog of Fan coil unit

High Floor Standing Fan Coil Unit (LZ Series)

Specification:

- Air flow: 1360-2040m³/h
- Cooling capacity: 7400W-10000W
- Heating capacity: 11100W-15000W
- With remote controller



Catalog of Fan coil unit



Many Plugs available:

1



American plug

2



Chinese plug

3



European plug

4



British plug

Remote Controller:



1. 12. COOL button. Press this button to enter cool mode.
2. Power button. Press this button to turn on/off the device.
3. 13. HEAT button. Press this button to enter heat mode.
4. 12. SWEEP button. Press this button to make air flow left and right.
5. 12. SWING button. Press this button to make air flow up and down.
6. 12. SPEED button. Press this button to select the fan speed.
7. 8. BREEZE button. Press this button to get gentle air.
8. 3. Δ button. Press this button to increase.
9. 4. ∇ button. Press this button to decrease.
10. 5. LED button. Press this button to turn on/off the light.
11. 11. TIME+ button. Press this button to increase the temperature.
12. TIME- button. Press this button to decrease the temperature.
13. AIR PURGE button. Press this button to purify air.
14. LOCK button. Press this button to lock the keys of remote controller.
15. 2. AUTO button. Press this button to select air auto.



Catalog of Fan coil unit

New model for FP-170LZ-P ONLY



YUNSHU
ELECTRIC





Catalog of Fan coil unit

Data Table

Performance/model		FP-136LZ	FP-170LZ(P)	FP-204LZ
Air volume(m ³ /h)	H	1360	1700	2040
	M	1100	1370	1740
	L	880	1170	1420
Cooling capacity(w)	H	7400	8500	10000
	M	5920	7270	9000
	L	4810	6210	7000
Heat capacity(w)	H	11100	12750	15000
	M	8880	11000	12000
	L	7220	9400	10000
Noise db(A)		<50	<56	<56
Electric power (W)		45	55	100
Temperature for cold water		7℃~12℃		
Temperature for hot water		65℃~60℃		
Power(V / HZ)		Single-phase power supply 220v、50Hz		
Water main		ZG R3/4"		
Size L×W×H (cm)		520×320×1770	520×320×1770	520×320×1770
Weight of unit(kg)		38	45	48